


Dimension



Working Range

Specifications

Description		Unit	DX27Z-7M		DX35Z-7M	
			Canopy	Cabin	Canopy	Cabin
Operating weight		kg	2,770	2,875	3,845	3,995
Bucket capacity		m3	0.06		0.11	
Engine	Model	-	Develon DN1.7		Develon DN1.7	
	Rated power	kW / rpm	18.4 / 2,400		18.4 / 2,200	
	Max. torque	kg.m / rpm	9.9 / 1,600		9.9 / 1,600	
Hydraulic	System pressure	kgf/cm2	220		250	
	Max. flow	ℓ / min	2 X 28.8 + 19.2		2 X 37.0 + 20.7	
Performance	Travel speed (High / Low)	km/h	4.2 / 2.4		4.4 / 2.6	
	Swing speed	rpm	9.3		8.7	
	Digging force (Bucket / Arm)	ton	2.22 / 1.30		3.17 / 2.08	
	Gradeability	degree (°)	35		35	
Dimension	Overall length (A)	mm	4,186		4,760	
	Undercarriage width (B)	mm	1,550		1,550	1,700
	Overall height (C)	mm	2,448		2,479	
	Tail swing radius (D)	mm	790		945	
	Min. swing radius (E)	mm	2,095		875	
	Track height (F)	mm	451		2,115	
	Track length (K)	mm	1,960		476	
	Boom length	mm	2,090		2,121	
	Arm length	mm	1,100		2,535	
	Max. digging height (G)	mm	4,385		1,330	
Working range	Max. loading height (H)	mm	2,935		5,095	
	Max. digging depth (I)	mm	2,645		3,580	
	Max. digging reach (J)	mm	4,655		3,275	
	Boom swing angle (left / right)	degree (°)	66.5 / 53.5		5,355	
		mm	1,550 x 259		66.5 / 53.5	
Dozer blade (width x height)		mm	300		1,700 x 380	
Shoe width		kgf/cm2			300	
Ground pressure			0.29	0.28	0.35	0.34

develon-ce.com  
HDIPBE-01-2305

©2023 HD Hyundai Infracore. All rights reserved.



DEVELON

Excavator

DX27Z-7M  
DX35Z-7M

Zero-tail swing excavator





# WE ARE BACK WITH NEW FEATURES

## PERFORMANCE

- Strong lifting and digging force
- Excellent travel performance • Outstanding controllability reflecting customer needs
- Standard application of rotating piping
- Automatic traveling shift function applied when driving.

## NEW FEATURES

- New design • Optional cabin / canopy specifications • Zero - tail swing radius • The boom swing function allows you to work in very narrow areas
- Boom / Arm / Bucket cylinder guard
- Canopy with tip-over protective structure (TOPS)
- Cabin with roll-over protective structure (ROPS)



## CONVENIENCE AND MAINTENANCE

- Removable canopy ( Canopy type )
- Front footrest in the cab ( Canopy type )
- 12V power socket
- Large storage space
- Wrist rest
- Heater
- Thumb wheel joystick

## DELUXE INTERIOR FOR CABIN

- Powerful air conditioner ( Optional )
- Heating and cooling seat ( Optional )
- Rear view camera ( Optional ) • USB charging • 5.7-inch LCD gauge panel ( Optional ) • Bluetooth audio ( Optional ) • DEVELON Fleet Management • Cabin with roll-over protective structure ( ROPS )
- Full glass door



# HIGH PRODUCTIVITY AND LOW COST OF OWNERSHIP

- Excellent job performance based on powerful lifting and digging force.
- Delivers higher productivity and reduced fuel consumption for efficient and comfortable work environment .



## Canopy type

### POWERFUL HVAC SYSTEM

The operator can keep warm in a cold working environment.



EXCLUSIVELY, FOR OPERATOR.

### INTEGRATED GAUGE PANEL

The integrated gauge panel allows the operator to check equipment information easily.



### EQUIPPED WITH A POWERFUL ENGINE

The eco-friendly engine meets the Tier 4 final and Stage V emission regulation without DPF and requires no urea solution.



### ROTATING PIPING

The installed attachments expand the equipment's usability.



### BOOM / ARM / BUCKET CYLINDER GUARD

The boom, arm and bucket cylinder guard protects the cylinder from external impact.



### AUTO - SHIFT

The auto-shift automatically shifts travel speed from high to low, depending on traction and terrain, allowing smoother operation when dozing and turning.



### JOYSTICK THUMBWHEEL SWITCH

1way, 2way and rotating operation with the joystick thumbwheel button.



### DETACHABLE CANOPY

Canopy can be removed conveniently without alteration (TOPS-certified canopy)



### BOOM LED LAMP

The LED lamp with excellent illumination increases visibility.



### FOOTREST

A footrest on the front of the cab is a standard feature.



BOOM SWING ANGLE



THE BOOM SWING FUNCTION ALLOWS YOU TO WORK IN VERY NARROW AREAS .



**NEW CABIN FEATURES**

The new cabin features ensure comfortable operation regardless of weather.

**Cabin type**

**ROPS ( ROLL-OVER PROTECTIVE STRUCTURE ) CABIN**

The ROPS provides protection in the event of accidental rollovers and falling objects.



**ERGONOMICALLY DESIGNED WITH COMFORT IN MIND.**

**MECHANICAL SUSPENSION SEAT WITH HEATING**

Built-in hot wires keep the operator warm and comfortable when working in cold working environments.



**FULL GLASS DOOR CABIN**

An unobstructed front view enables the operator to work comfortably.



**REAR VIEW CAMERA**

An unobstructed rear view enables the operator to work safely.



**FRONT GLASS TO SLIDE OPEN**

Improved work convenience



**NEW DIGITAL GAUGE PANEL**

The operator can check information and set functions of the equipment with the 5.7-inch color monitor.



**POWERFUL HVAC SYSTEM**

The high-performance air conditioner keeps the operator cool and comfortable even in the hot summer.



**FRONT AND REAR WORK LIGHTS**

The lights keep the work environment bright enough to ensure safe and comfortable work.



**AUDIO**

The Bluetooth function support allows the operator to make phone calls and listen to music.



**EMERGENCY STOP SWITCH**

The switch is located at the bottom of the seat to stop the engine in an emergency



**POWER SOCKET AND USB CHARGER**

They can be used for charging smartphones and other devices.

**DEVELON Fleet Management**

The operator can check equipment information with a smartphone or a computer in real time.

